



MacArthur
Green



Document Number
WO1-WOW-PER-ENV-RPT-0021

Revision 01

Approved

Mr Stuart McAuley - Offshore Wind Power
Limited

Oct 2, 2024, 4:41 PM GMT+1:00

West of Orkney Windfarm

Offshore Ornithology Supplementary Environmental Information

Annex 1E: Design-based analysis density estimates from each survey recorded of all birds (sitting and flying)

Date: 19/06/2024

Tel: 0141 342 5404

Web: www.macarthurgreen.com

Address: 93 South Woodside Road | Glasgow | G20 6NT

Document Quality Record

Version	Status	Person Responsible	Date
0.1	Draft	Dr. S. Raveh	09/05/2024
0.2	Reviewed	Dr. Ross McGregor	18/06/2024
0.3	Updated	Dr. Ross McGregor	19/06/2024
1	Internal Approval	Dr. Ross McGregor	19/06/2024

MacArthur Green is helping combat the climate crisis by operating a biodiversity positive, carbon conscious business. Read more at www.macarthurgreen.com



CONTENTS

1.1	Arctic Skua.....	1
1.2	Arctic Tern	2
1.3	Auk sp.	3
1.4	Black-headed Gull.....	4
1.5	Black Guillemot	5
1.6	Common Gull.....	6
1.7	Common Tern.....	7
1.8	Cory's Shearwater.....	8
1.9	European Storm-petrel.....	9
1.10	Fulmar.....	10
1.11	Gannet	11
1.12	Great Black-backed Gull.....	12
1.13	Great Northern Diver	13
1.14	Great Shearwater.....	14
1.15	Great Skua	15
1.16	Guillemot	16
1.17	Herring Gull.....	19
1.18	Kittiwake.....	20
1.19	Large Auk sp.....	21
1.20	Lesser Black-backed Gull	22
1.21	Little Auk	23
1.22	Little Gull.....	24
1.23	Manx Shearwater.....	25
1.24	Puffin	26
1.25	Razorbill.....	29
1.26	Red-throated Diver	32
1.27	Shag.....	33
1.28	Sooty Shearwater	34

LIST OF TABLES

Table 1. Density of Arctic skua recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	1
Table 2. Density of Arctic tern recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	2
Table 3. Density of auk sp. recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	3
Table 4. Density of black-headed gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	4
Table 5. Density of black guillemot recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	5
Table 6. Density of common gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	6
Table 7. Density of common tern recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	7
Table 8. Density of Cory's shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	8
Table 9. Density of European storm-petrel recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	9
Table 10. Density of fulmar recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	10
Table 11. Density of gannet recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	11
Table 12. Density of gannet recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	12
Table 13. Density of great northern diver recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	13
Table 14. Density of great shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.	14

Table 15. Density of great skua recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.....15

Table 16. Density of guillemot recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 16

Table 17. Density of guillemot (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..17

Table 18. Density of guillemot (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 18

Table 19. Density of herring gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 19

Table 20. Density of kittiwake recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.....20

Table 21. Density of large auk sp. recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.....21

Table 22. Density of lesser black-backed gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer. 22

Table 23. Density of little auk recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 23

Table 24. Density of little gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 24

Table 25. Density of Manx shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 25

Table 26. Density of puffin recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 26

Table 27. Density of puffin (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer. 27

Table 28. Density of puffin (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 28

Table 29. Density of razorbill recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 29

Table 30. Density of razorbill (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer. 30

Table 31. Density of razorbill (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.....31

Table 32. Density of red-throated diver recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 32

Table 33. Density of shag recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 33

Table 34. Density of sooty shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer..... 34

1.1 Arctic Skua

Table 1. Density of Arctic skua recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.91	0.01 (0.01)	0.01	0-0.02	0.91
Jul-2022	0.01 (0.01)	0.01	0-0.04	0.95	0.04 (0.02)	0.04	0.01-0.07	0.52	0.03 (0.01)	0.03	0-0.05	0.49
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.2 Arctic Tern

Table 2. Density of Arctic tern recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0.27 (0.17)	0.27	0-0.66	0.63	0.2 (0.13)	0.20	0-0.49	0.66	0.15 (0.1)	0.15	0-0.38	0.64
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0.03 (0.02)	0.03	0-0.08	0.80	0.02 (0.02)	0.02	0-0.06	0.78
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0.01 (0.01)	0.01	0-0.04	0.95	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.94
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0.02 (0.02)	0.02	0-0.06	0.66	0.05 (0.03)	0.05	0-0.12	0.63	0.04 (0.03)	0.04	0-0.1	0.67
Aug-2022	0.11 (0.09)	0.11	0-0.31	0.84	0.08 (0.07)	0.08	0-0.23	0.83	0.07 (0.05)	0.07	0.01-0.19	0.71
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.3 Auk sp.

Table 3. Density of auk sp. recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.39 (0.1)	0.39	0.22-0.59	0.25	0.43 (0.08)	0.43	0.28-0.6	0.19	0.49 (0.09)	0.48	0.33-0.67	0.19
Aug-2020	0.07 (0.03)	0.07	0.01-0.13	0.44	0.11 (0.03)	0.11	0.05-0.17	0.28	0.14 (0.04)	0.14	0.08-0.22	0.26
Sep-2020	0.04 (0.02)	0.04	0-0.08	0.54	0.03 (0.02)	0.03	0.01-0.07	0.47	0.03 (0.01)	0.03	0.01-0.06	0.39
Oct-2020	0.08 (0.03)	0.08	0.04-0.14	0.35	0.08 (0.02)	0.08	0.03-0.13	0.32	0.07 (0.02)	0.07	0.03-0.11	0.28
Nov-2020	0.06 (0.03)	0.06	0.01-0.12	0.47	0.07 (0.03)	0.07	0.03-0.12	0.38	0.06 (0.02)	0.06	0.02-0.11	0.35
Dec-2020	0.01 (0.01)	0.01	0-0.04	0.98	0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.95
Jan-2021	0.12 (0.04)	0.12	0.05-0.2	0.35	0.14 (0.04)	0.14	0.07-0.22	0.26	0.11 (0.03)	0.11	0.05-0.16	0.26
Feb-2021	0.02 (0.02)	0.02	0-0.06	0.68	0.02 (0.01)	0.02	0-0.04	0.70	0.03 (0.01)	0.03	0.01-0.05	0.45
Mar-2021	0.05 (0.03)	0.05	0-0.11	0.58	0.04 (0.02)	0.04	0.01-0.09	0.50	0.04 (0.02)	0.04	0.01-0.08	0.44
Apr-2021	0.31 (0.07)	0.30	0.18-0.45	0.22	0.3 (0.06)	0.30	0.2-0.42	0.19	0.34 (0.05)	0.34	0.24-0.44	0.15
May-2021	0.01 (0.01)	0.01	0-0.04	0.98	0.01 (0.01)	0.01	0-0.03	0.93	0.01 (0.01)	0.01	0-0.03	0.66
Jun-2021	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.95	0.01 (0.01)	0.01	0-0.03	0.59
Jul-2021	0.02 (0.02)	0.02	0-0.06	0.65	0.05 (0.02)	0.05	0.02-0.1	0.40	0.05 (0.02)	0.05	0.01-0.09	0.38
Aug-2021	0.25 (0.06)	0.24	0.13-0.38	0.25	0.26 (0.05)	0.26	0.16-0.36	0.19	0.23 (0.04)	0.23	0.16-0.31	0.17
Sep-2021	0.18 (0.06)	0.18	0.08-0.3	0.32	0.16 (0.04)	0.17	0.09-0.26	0.26	0.17 (0.04)	0.16	0.09-0.25	0.26
Oct-2021	0.05 (0.02)	0.05	0.01-0.09	0.47	0.09 (0.03)	0.09	0.03-0.15	0.33	0.08 (0.02)	0.08	0.04-0.13	0.28
Nov-2021	0.11 (0.03)	0.11	0.05-0.18	0.32	0.1 (0.03)	0.11	0.05-0.17	0.30	0.08 (0.02)	0.08	0.04-0.13	0.30
Dec-2021	0.08 (0.03)	0.08	0.04-0.15	0.38	0.09 (0.03)	0.09	0.04-0.14	0.31	0.07 (0.02)	0.07	0.03-0.11	0.29
Feb-2022	0.01 (0.01)	0.01	0-0.04	0.97	0.01 (0.01)	0.01	0-0.03	0.93	0.01 (0.01)	0.01	0-0.02	0.95
Feb-2022	0.02 (0.01)	0.02	0-0.06	0.63	0.02 (0.01)	0.02	0-0.04	0.64	0.01 (0.01)	0.01	0-0.03	0.63
Mar-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.96
Apr-2022	0.09 (0.04)	0.10	0.04-0.18	0.39	0.08 (0.03)	0.08	0.03-0.14	0.35	0.06 (0.02)	0.06	0.02-0.11	0.35
May-2022	0.07 (0.03)	0.07	0.01-0.14	0.48	0.1 (0.04)	0.11	0.04-0.18	0.35	0.13 (0.03)	0.14	0.07-0.2	0.25
Jun-2022	0.11 (0.05)	0.11	0.02-0.2	0.44	0.1 (0.04)	0.11	0.04-0.18	0.34	0.13 (0.03)	0.13	0.07-0.19	0.23
Jul-2022	0.39 (0.1)	0.37	0.21-0.58	0.25	0.35 (0.08)	0.35	0.21-0.51	0.22	0.38 (0.07)	0.37	0.25-0.51	0.19
Aug-2022	0.05 (0.03)	0.05	0-0.11	0.55	0.04 (0.02)	0.04	0.01-0.09	0.48	0.04 (0.02)	0.04	0.01-0.08	0.44
Sep-2022	0.17 (0.04)	0.17	0.1-0.26	0.25	0.18 (0.04)	0.18	0.11-0.27	0.23	0.15 (0.03)	0.15	0.09-0.22	0.22

1.4 Black-headed Gull

Table 4. Density of black-headed gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0.01 (0.01)	0.01	0-0.04	0.94	0.01 (0.01)	0.01	0-0.03	0.96	0.01 (0.01)	0.01	0-0.02	0.9
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.5 Black Guillemot

Table 5. Density of black guillemot recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.94
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0.01 (0.01)	0.01	0-0.04	0.95	0.01 (0.01)	0.01	0-0.03	0.91	0.01 (0.01)	0.01	0-0.02	0.94
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.6 Common Gull

Table 6. Density of common gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0	0-0		0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.95
May-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.7 Common Tern

Table 7. Density of common tern recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0	0-0		0.01 (0.01)	0.01	0-0.03	0.82	0.01 (0.01)	0.01	0-0.03	0.53
Sep-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.8 Cory's Shearwater

Table 8. Density of Cory's shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.01 (0.01)	0.01	0-0.04	0.95	0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.92
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.9 European Storm-petrel

Table 9. Density of European storm-petrel recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.88
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.07 (0.07)	0.08	0-0.22	0.94
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.31 (0.11)	0.31	0.11-0.55	0.37	0.25 (0.09)	0.25	0.1-0.43	0.34	0.24 (0.07)	0.24	0.12-0.39	0.29
Sep-2021	0.05 (0.02)	0.05	0.01-0.09	0.46	0.04 (0.02)	0.04	0.02-0.08	0.40	0.03 (0.01)	0.03	0.01-0.06	0.41
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.10 Fulmar

Table 10. Density of fulmar recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.72 (0.17)	0.72	0.42-1.1	0.23	0.89 (0.14)	0.90	0.63-1.18	0.16	1.2 (0.17)	1.19	0.88-1.53	0.14
Aug-2020	2.29 (1.17)	2.29	0.41-4.78	0.51	1.79 (0.84)	1.78	0.42-3.58	0.47	1.53 (0.67)	1.52	0.43-2.99	0.44
Sep-2020	4.18 (2.14)	4.27	1.03-8.95	0.51	3.57 (1.5)	3.57	1.2-6.68	0.42	2.91 (1.23)	2.88	1.5-5.4	0.42
Oct-2020	1.77 (0.44)	1.75	1-2.73	0.25	1.96 (0.33)	1.95	1.39-2.68	0.17	3.12 (0.68)	3.12	1.92-4.44	0.22
Nov-2020	1.38 (0.47)	1.40	0.67-2.46	0.34	1.21 (0.33)	1.22	0.69-1.89	0.27	1.66 (0.38)	1.65	0.9-2.39	0.23
Dec-2020	2.36 (0.52)	2.35	1.44-3.48	0.22	3.87 (1.11)	3.87	1.94-6.2	0.29	3.92 (0.93)	3.93	2.31-5.79	0.24
Jan-2021	1.91 (0.34)	1.90	1.33-2.62	0.18	2.15 (0.34)	2.16	1.56-2.85	0.16	2.42 (0.28)	2.42	1.92-2.99	0.11
Feb-2021	0.27 (0.07)	0.27	0.14-0.42	0.26	0.34 (0.06)	0.34	0.23-0.45	0.17	0.36 (0.05)	0.36	0.27-0.47	0.15
Mar-2021	1.22 (0.32)	1.21	0.71-1.92	0.26	1.23 (0.25)	1.23	0.8-1.74	0.20	1.2 (0.19)	1.19	0.84-1.59	0.16
Apr-2021	0.45 (0.29)	0.45	0.09-1.08	0.65	0.4 (0.21)	0.39	0.13-0.88	0.53	0.4 (0.17)	0.40	0.17-0.76	0.42
May-2021	0.07 (0.03)	0.07	0.02-0.13	0.39	0.27 (0.08)	0.27	0.13-0.42	0.28	0.21 (0.06)	0.22	0.11-0.35	0.29
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0.25 (0.05)	0.25	0.15-0.34	0.20	0.23 (0.04)	0.23	0.15-0.3	0.18	0.29 (0.04)	0.30	0.22-0.38	0.13
Aug-2021	1.46 (0.18)	1.46	1.12-1.81	0.12	1.42 (0.13)	1.42	1.15-1.7	0.09	1.43 (0.1)	1.43	1.24-1.65	0.07
Sep-2021	0.9 (0.14)	0.90	0.64-1.18	0.16	0.85 (0.1)	0.85	0.66-1.06	0.12	0.9 (0.09)	0.89	0.72-1.07	0.10
Oct-2021	2.17 (0.98)	2.18	0.51-4.34	0.45	1.89 (0.68)	1.90	0.72-3.29	0.36	2.01 (0.57)	1.98	1.02-3.24	0.28
Nov-2021	0.54 (0.09)	0.54	0.38-0.72	0.16	0.61 (0.07)	0.61	0.46-0.74	0.12	1.75 (0.52)	1.76	0.86-2.83	0.29
Dec-2021	2.62 (0.57)	2.61	1.61-3.8	0.22	2.33 (0.43)	2.33	1.58-3.18	0.18	2.02 (0.33)	2.01	1.41-2.72	0.16
Feb-2022	1.15 (0.14)	1.15	0.9-1.42	0.12	1.24 (0.12)	1.25	1.01-1.49	0.10	1.36 (0.11)	1.36	1.15-1.59	0.08
Feb-2022	1.55 (0.29)	1.55	1-2.15	0.19	1.7 (0.32)	1.72	1.13-2.37	0.19	1.79 (0.24)	1.80	1.36-2.3	0.14
Mar-2022	2.41 (0.27)	2.43	1.9-2.98	0.11	2.53 (0.24)	2.53	2.07-2.98	0.09	2.44 (0.19)	2.44	2.08-2.85	0.08
Apr-2022	0.68 (0.1)	0.69	0.5-0.9	0.15	0.61 (0.08)	0.60	0.44-0.77	0.14	0.58 (0.07)	0.58	0.45-0.72	0.11
May-2022	0.19 (0.04)	0.19	0.11-0.27	0.22	0.24 (0.04)	0.24	0.16-0.32	0.17	0.25 (0.04)	0.25	0.18-0.32	0.14
Jun-2022	0.19 (0.05)	0.19	0.11-0.28	0.24	0.19 (0.04)	0.19	0.12-0.27	0.20	0.18 (0.03)	0.18	0.12-0.24	0.16
Jul-2022	0.59 (0.13)	0.59	0.35-0.86	0.23	0.51 (0.1)	0.52	0.34-0.73	0.19	0.47 (0.08)	0.48	0.33-0.66	0.18
Aug-2022	0.5 (0.07)	0.50	0.38-0.63	0.13	0.5 (0.05)	0.50	0.39-0.61	0.11	0.55 (0.05)	0.55	0.45-0.65	0.10
Sep-2022	2.08 (0.22)	2.10	1.67-2.57	0.11	2.02 (0.17)	2.01	1.67-2.36	0.09	1.91 (0.13)	1.91	1.65-2.17	0.07

1.11 Gannet

Table 11. Density of gannet recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.55 (0.28)	0.54	0.16-1.21	0.51	0.48 (0.22)	0.47	0.17-1	0.45	0.87 (0.39)	0.89	0.26-1.73	0.45
Aug-2020	2.94 (2.03)	2.93	0.4-7.61	0.69	2.21 (1.49)	2.23	0.35-5.49	0.67	1.82 (1.13)	1.88	0.39-4.53	0.62
Sep-2020	1.52 (0.23)	1.51	1.07-1.94	0.15	1.43 (0.18)	1.42	1.1-1.82	0.12	1.33 (0.15)	1.32	1.04-1.65	0.12
Oct-2020	1.16 (0.21)	1.16	0.79-1.58	0.18	0.99 (0.15)	0.98	0.7-1.29	0.15	0.92 (0.12)	0.93	0.71-1.17	0.13
Nov-2020	0.01 (0.01)	0.01	0-0.04	0.97	0.03 (0.02)	0.03	0-0.07	0.68	0.03 (0.01)	0.03	0.01-0.06	0.54
Dec-2020	0.08 (0.03)	0.08	0.02-0.15	0.41	0.08 (0.03)	0.08	0.03-0.14	0.37	0.06 (0.02)	0.06	0.02-0.11	0.38
Jan-2021	0.04 (0.02)	0.03	0-0.08	0.62	0.03 (0.02)	0.03	0.01-0.08	0.51	0.03 (0.01)	0.03	0.01-0.05	0.52
Feb-2021	0.09 (0.03)	0.09	0.05-0.15	0.31	0.09 (0.02)	0.09	0.04-0.13	0.27	0.08 (0.02)	0.08	0.04-0.12	0.26
Mar-2021	0.04 (0.02)	0.04	0-0.07	0.52	0.06 (0.02)	0.06	0.03-0.1	0.33	0.08 (0.02)	0.08	0.04-0.13	0.29
Apr-2021	0.4 (0.09)	0.40	0.25-0.59	0.23	0.44 (0.08)	0.45	0.3-0.6	0.18	0.44 (0.07)	0.44	0.32-0.58	0.15
May-2021	0.53 (0.12)	0.53	0.31-0.79	0.23	0.55 (0.11)	0.56	0.35-0.78	0.20	0.55 (0.1)	0.55	0.36-0.75	0.18
Jun-2021	0.26 (0.06)	0.26	0.17-0.39	0.22	0.27 (0.05)	0.27	0.17-0.36	0.19	0.25 (0.04)	0.25	0.18-0.34	0.16
Jul-2021	0.35 (0.07)	0.35	0.21-0.51	0.21	0.38 (0.08)	0.38	0.25-0.54	0.20	0.39 (0.07)	0.39	0.25-0.54	0.18
Aug-2021	0.76 (0.12)	0.76	0.53-1	0.16	0.77 (0.11)	0.77	0.56-1	0.15	1.06 (0.33)	1.06	0.6-1.77	0.31
Sep-2021	1.04 (0.15)	1.04	0.77-1.33	0.14	1 (0.12)	1.00	0.77-1.26	0.12	1.26 (0.2)	1.26	0.92-1.69	0.16
Oct-2021	1.7 (0.24)	1.71	1.28-2.21	0.14	1.63 (0.16)	1.64	1.34-1.97	0.10	1.5 (0.14)	1.50	1.23-1.76	0.09
Nov-2021	0.02 (0.02)	0.02	0-0.06	0.64	0.05 (0.02)	0.05	0.02-0.09	0.36	0.05 (0.02)	0.05	0.02-0.09	0.31
Dec-2021	0.01 (0.01)	0.01	0-0.04	0.95	0.02 (0.01)	0.02	0-0.04	0.66	0.02 (0.01)	0.02	0-0.04	0.54
Feb-2022	0.02 (0.02)	0.02	0-0.07	0.94	0.03 (0.02)	0.03	0-0.07	0.71	0.07 (0.03)	0.07	0.02-0.14	0.43
Feb-2022	0.11 (0.03)	0.11	0.05-0.18	0.33	0.09 (0.03)	0.09	0.03-0.15	0.31	0.08 (0.02)	0.08	0.04-0.12	0.27
Mar-2022	0.22 (0.05)	0.23	0.13-0.33	0.24	0.23 (0.04)	0.22	0.15-0.31	0.19	0.21 (0.04)	0.21	0.13-0.28	0.17
Apr-2022	0.95 (0.16)	0.95	0.64-1.28	0.17	0.91 (0.12)	0.91	0.68-1.16	0.14	0.84 (0.1)	0.84	0.65-1.04	0.12
May-2022	0.24 (0.05)	0.24	0.14-0.34	0.23	0.29 (0.06)	0.29	0.18-0.4	0.19	0.4 (0.08)	0.39	0.24-0.55	0.21
Jun-2022	0.54 (0.14)	0.54	0.29-0.84	0.26	0.48 (0.11)	0.48	0.29-0.7	0.22	0.45 (0.08)	0.45	0.29-0.62	0.19
Jul-2022	0.53 (0.1)	0.53	0.34-0.73	0.19	0.48 (0.07)	0.48	0.34-0.63	0.16	0.44 (0.06)	0.44	0.32-0.56	0.14
Aug-2022	0.2 (0.05)	0.20	0.12-0.3	0.22	0.24 (0.04)	0.24	0.16-0.33	0.19	0.3 (0.05)	0.30	0.22-0.39	0.15
Sep-2022	0.52 (0.09)	0.51	0.35-0.69	0.17	0.6 (0.1)	0.61	0.44-0.8	0.16	0.74 (0.11)	0.75	0.55-0.96	0.14

1.12 Great Black-backed Gull

Table 12. Density of gannet recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0.01 (0.01)	0.01	0-0.04	0.98	0.02 (0.01)	0.02	0-0.04	0.66	0.03 (0.02)	0.03	0-0.07	0.67
Nov-2020	0.17 (0.05)	0.17	0.07-0.26	0.29	0.14 (0.04)	0.14	0.07-0.22	0.29	0.11 (0.03)	0.11	0.05-0.17	0.29
Dec-2020	0.02 (0.02)	0.02	0-0.06	0.68	0.07 (0.03)	0.07	0.02-0.13	0.43	0.07 (0.02)	0.07	0.03-0.13	0.33
Jan-2021	0.09 (0.03)	0.09	0.04-0.17	0.34	0.07 (0.03)	0.07	0.03-0.12	0.36	0.07 (0.02)	0.07	0.04-0.12	0.27
Feb-2021	0.06 (0.03)	0.06	0.01-0.12	0.44	0.17 (0.11)	0.17	0.03-0.42	0.64	0.2 (0.12)	0.20	0.03-0.47	0.59
Mar-2021	0.02 (0.02)	0.02	0-0.06	0.65	0.03 (0.01)	0.03	0-0.05	0.52	0.03 (0.01)	0.03	0.01-0.05	0.43
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0.02 (0.02)	0.02	0-0.07	0.92	0.02 (0.02)	0.02	0-0.05	0.90	0.01 (0.01)	0.01	0-0.04	0.89
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0.19 (0.05)	0.19	0.09-0.3	0.28	0.23 (0.05)	0.23	0.14-0.31	0.20	0.21 (0.04)	0.21	0.14-0.28	0.18
Dec-2021	0.4 (0.09)	0.40	0.25-0.59	0.22	0.42 (0.07)	0.43	0.29-0.56	0.16	0.4 (0.06)	0.40	0.29-0.52	0.15
Feb-2022	0.07 (0.03)	0.07	0.01-0.14	0.47	0.05 (0.02)	0.05	0.02-0.1	0.43	0.09 (0.03)	0.10	0.04-0.15	0.29
Feb-2022	0.2 (0.05)	0.20	0.11-0.31	0.27	0.16 (0.04)	0.16	0.09-0.24	0.24	0.15 (0.03)	0.15	0.09-0.21	0.22
Mar-2022	0.01 (0.01)	0.01	0-0.04	0.89	0.03 (0.01)	0.03	0-0.05	0.52	0.03 (0.01)	0.03	0.01-0.06	0.38
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.13 Great Northern Diver

Table 13. Density of great northern diver recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0.01 (0.01)	0.01	0-0.04	0.90	0.01 (0.01)	0.01	0-0.03	0.91	0.01 (0.01)	0.01	0-0.02	0.90
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.93
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.87	0.01 (0.01)	0.01	0-0.02	0.89
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.14 Great Shearwater

Table 14. Density of great shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0	0-0		0 (0)	0	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0	0-0		0 (0)	0	0-0		0.01 (0.01)	0.01	0-0.02	0.88

1.15 Great Skua

Table 15. Density of great skua recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.02 (0.02)	0.02	0-0.06	0.64	0.03 (0.01)	0.03	0.01-0.05	0.47	0.02 (0.01)	0.02	0.01-0.04	0.49
Aug-2020	0.46 (0.35)	0.44	0.01-1.27	0.77	0.34 (0.26)	0.33	0.01-0.93	0.76	0.26 (0.2)	0.27	0.01-0.7	0.75
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0.01 (0.01)	0.01	0-0.04	0.89	0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.97
Nov-2020	0.01 (0.01)	0.01	0-0.04	0.83	0.01 (0.01)	0.01	0-0.03	0.87	0.01 (0.01)	0.01	0-0.02	0.89
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0.07 (0.03)	0.07	0.02-0.12	0.37	0.06 (0.02)	0.06	0.03-0.1	0.33	0.06 (0.02)	0.06	0.03-0.09	0.28
May-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.02 (0.01)	0.02	0-0.04	0.66	0.02 (0.01)	0.02	0-0.04	0.50
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0.01 (0.01)	0.01	0-0.04	0.87	0.03 (0.01)	0.03	0.01-0.07	0.43	0.03 (0.01)	0.03	0.01-0.05	0.44
Aug-2021	0.04 (0.03)	0.04	0-0.11	0.90	0.03 (0.02)	0.03	0-0.08	0.92	0.02 (0.02)	0.02	0-0.06	0.94
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.91	0.01 (0.01)	0.01	0-0.02	0.92
May-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.87	0.01 (0.01)	0.01	0-0.03	0.59
Jun-2022	0.05 (0.02)	0.05	0.01-0.09	0.47	0.03 (0.02)	0.03	0.01-0.07	0.47	0.04 (0.01)	0.04	0.01-0.07	0.37
Jul-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.96	0.02 (0.01)	0.02	0-0.04	0.53
Aug-2022	0.02 (0.02)	0.02	0-0.06	0.66	0.02 (0.01)	0.02	0-0.04	0.65	0.01 (0.01)	0.01	0-0.03	0.67
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.01	0.76

1.16 Guillemot

Table 16. Density of guillemot recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	3.12 (0.59)	3.13	2.03-4.24	0.19	3.22 (0.43)	3.24	2.46-4.09	0.13	3.06 (0.33)	3.05	2.4-3.7	0.11
Aug-2020	0.9 (0.15)	0.89	0.62-1.21	0.17	1.08 (0.15)	1.08	0.77-1.39	0.14	1.16 (0.13)	1.16	0.89-1.42	0.12
Sep-2020	3.53 (0.46)	3.53	2.63-4.45	0.13	3.79 (0.37)	3.77	3.04-4.51	0.10	3.57 (0.29)	3.58	3.01-4.11	0.08
Oct-2020	2.86 (0.46)	2.86	1.98-3.78	0.16	3.44 (0.42)	3.46	2.7-4.3	0.12	3.28 (0.32)	3.29	2.73-3.99	0.10
Nov-2020	0.31 (0.06)	0.31	0.2-0.43	0.19	0.43 (0.07)	0.43	0.29-0.58	0.17	0.43 (0.06)	0.43	0.33-0.55	0.13
Dec-2020	0.48 (0.09)	0.48	0.32-0.67	0.19	0.68 (0.1)	0.68	0.49-0.88	0.15	0.74 (0.08)	0.74	0.59-0.9	0.11
Jan-2021	0.93 (0.15)	0.92	0.64-1.22	0.16	1.16 (0.14)	1.16	0.9-1.45	0.12	1.19 (0.13)	1.18	0.94-1.43	0.11
Feb-2021	2.42 (0.63)	2.45	1.42-3.78	0.26	2.12 (0.44)	2.09	1.39-3.08	0.21	2.1 (0.37)	2.09	1.5-2.91	0.18
Mar-2021	2.17 (0.26)	2.17	1.68-2.7	0.12	2.28 (0.23)	2.28	1.85-2.76	0.10	2.6 (0.31)	2.60	2.02-3.25	0.12
Apr-2021	5.14 (0.64)	5.17	3.95-6.51	0.12	5.51 (0.52)	5.47	4.57-6.61	0.10	6.06 (0.42)	6.05	5.23-6.86	0.07
May-2021	0.28 (0.08)	0.28	0.14-0.47	0.30	0.34 (0.11)	0.34	0.16-0.59	0.33	0.52 (0.15)	0.51	0.26-0.83	0.29
Jun-2021	0.93 (0.24)	0.93	0.51-1.45	0.26	0.87 (0.19)	0.87	0.53-1.25	0.22	0.93 (0.16)	0.95	0.67-1.28	0.17
Jul-2021	1.02 (0.18)	1.02	0.67-1.41	0.18	1.27 (0.22)	1.27	0.87-1.73	0.18	1.45 (0.18)	1.44	1.09-1.81	0.12
Aug-2021	2.47 (0.27)	2.44	1.96-3	0.11	2.73 (0.29)	2.72	2.14-3.33	0.11	2.86 (0.22)	2.85	2.41-3.28	0.08
Sep-2021	3.61 (0.37)	3.61	2.93-4.37	0.10	3.47 (0.3)	3.47	2.91-4.09	0.09	3.62 (0.25)	3.65	3.17-4.13	0.07
Oct-2021	2.49 (0.3)	2.48	1.94-3.06	0.12	2.72 (0.3)	2.72	2.18-3.31	0.11	2.89 (0.25)	2.89	2.43-3.39	0.09
Nov-2021	0.94 (0.15)	0.94	0.65-1.24	0.16	0.87 (0.11)	0.87	0.66-1.08	0.13	0.95 (0.1)	0.95	0.76-1.14	0.10
Dec-2021	1.06 (0.14)	1.07	0.79-1.36	0.13	1.29 (0.15)	1.29	1.01-1.58	0.12	1.4 (0.13)	1.40	1.17-1.66	0.09
Feb-2022	0.11 (0.03)	0.11	0.05-0.18	0.30	0.16 (0.03)	0.16	0.1-0.23	0.21	0.25 (0.04)	0.25	0.18-0.33	0.15
Feb-2022	0.42 (0.08)	0.43	0.27-0.6	0.19	0.46 (0.07)	0.46	0.32-0.61	0.16	0.46 (0.06)	0.46	0.35-0.6	0.14
Mar-2022	0.2 (0.07)	0.20	0.08-0.34	0.34	0.27 (0.06)	0.27	0.16-0.38	0.21	0.28 (0.05)	0.28	0.19-0.38	0.17
Apr-2022	1.45 (0.21)	1.45	1.05-1.9	0.14	1.44 (0.15)	1.44	1.16-1.74	0.10	1.52 (0.14)	1.53	1.27-1.83	0.09
May-2022	1.64 (0.25)	1.64	1.17-2.18	0.15	1.69 (0.24)	1.69	1.26-2.17	0.14	2.25 (0.33)	2.26	1.62-2.94	0.15
Jun-2022	2.43 (0.61)	2.44	1.43-3.72	0.25	2.1 (0.48)	2.09	1.26-3.11	0.23	1.94 (0.37)	1.96	1.3-2.76	0.19
Jul-2022	6.49 (1.06)	6.49	4.6-8.76	0.16	7.47 (1.12)	7.43	5.38-9.6	0.15	6.64 (0.78)	6.65	5.17-8.12	0.12
Aug-2022	3 (0.65)	2.99	1.82-4.36	0.22	3.67 (0.62)	3.69	2.46-4.98	0.17	4.86 (0.61)	4.84	3.66-6.06	0.12
Sep-2022	2.91 (0.5)	2.95	2.02-4.04	0.17	3.24 (0.48)	3.23	2.36-4.23	0.15	3.86 (0.53)	3.86	2.91-4.88	0.14

Table 17. Density of guillemot (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	3.41 (0.64)	3.42	2.22-4.64	0.19	3.52 (0.46)	3.53	2.68-4.47	0.13	3.33 (0.36)	3.33	2.62-4.04	0.11
Aug-2020	0.97 (0.17)	0.97	0.67-1.31	0.17	1.15 (0.16)	1.15	0.82-1.48	0.14	1.24 (0.14)	1.24	0.96-1.52	0.12
Sep-2020	3.62 (0.47)	3.63	2.7-4.57	0.13	3.87 (0.38)	3.85	3.11-4.61	0.10	3.65 (0.3)	3.66	3.07-4.2	0.08
Oct-2020	3.01 (0.49)	3.02	2.09-3.98	0.16	3.62 (0.44)	3.64	2.84-4.53	0.12	3.42 (0.33)	3.43	2.85-4.17	0.10
Nov-2020	0.39 (0.07)	0.39	0.25-0.54	0.19	0.54 (0.09)	0.54	0.37-0.72	0.17	0.52 (0.07)	0.52	0.4-0.67	0.13
Dec-2020	0.53 (0.1)	0.53	0.35-0.74	0.19	0.75 (0.11)	0.76	0.55-0.99	0.15	0.81 (0.09)	0.81	0.65-0.99	0.11
Jan-2021	1.09 (0.18)	1.08	0.74-1.42	0.16	1.33 (0.16)	1.33	1.04-1.66	0.12	1.37 (0.14)	1.35	1.08-1.64	0.11
Feb-2021	2.54 (0.66)	2.57	1.49-3.96	0.26	2.22 (0.46)	2.19	1.46-3.22	0.21	2.18 (0.39)	2.17	1.56-3.03	0.18
Mar-2021	2.32 (0.28)	2.32	1.79-2.89	0.12	2.43 (0.25)	2.43	1.97-2.94	0.10	2.74 (0.33)	2.73	2.13-3.42	0.12
Apr-2021	5.54 (0.69)	5.58	4.26-7.02	0.12	5.9 (0.56)	5.85	4.89-7.08	0.10	6.48 (0.45)	6.46	5.59-7.33	0.07
May-2021	0.3 (0.09)	0.30	0.15-0.49	0.30	0.35 (0.11)	0.34	0.17-0.6	0.33	0.53 (0.15)	0.52	0.27-0.85	0.29
Jun-2021	0.94 (0.24)	0.94	0.51-1.47	0.26	0.88 (0.19)	0.87	0.53-1.26	0.22	0.94 (0.16)	0.95	0.67-1.29	0.17
Jul-2021	1.03 (0.18)	1.03	0.68-1.42	0.18	1.29 (0.23)	1.28	0.88-1.76	0.18	1.47 (0.18)	1.47	1.11-1.84	0.12
Aug-2021	2.63 (0.29)	2.61	2.09-3.2	0.11	2.9 (0.31)	2.90	2.27-3.54	0.11	3.01 (0.23)	3.00	2.53-3.45	0.08
Sep-2021	3.82 (0.39)	3.82	3.1-4.62	0.10	3.65 (0.32)	3.65	3.06-4.3	0.09	3.8 (0.26)	3.82	3.32-4.33	0.07
Oct-2021	2.67 (0.32)	2.66	2.08-3.28	0.12	2.92 (0.32)	2.92	2.34-3.56	0.11	3.1 (0.27)	3.10	2.61-3.64	0.09
Nov-2021	1.11 (0.18)	1.11	0.76-1.45	0.16	1.03 (0.13)	1.04	0.78-1.29	0.13	1.08 (0.11)	1.09	0.87-1.31	0.10
Dec-2021	1.28 (0.17)	1.28	0.95-1.63	0.13	1.53 (0.18)	1.52	1.2-1.86	0.12	1.6 (0.15)	1.60	1.33-1.9	0.09
Feb-2022	0.12 (0.04)	0.12	0.05-0.2	0.30	0.18 (0.04)	0.18	0.11-0.26	0.21	0.29 (0.05)	0.29	0.22-0.39	0.15
Feb-2022	0.5 (0.1)	0.50	0.32-0.7	0.19	0.55 (0.09)	0.56	0.39-0.73	0.16	0.54 (0.08)	0.54	0.41-0.7	0.14
Mar-2022	0.25 (0.08)	0.25	0.1-0.42	0.34	0.32 (0.07)	0.32	0.2-0.46	0.21	0.34 (0.06)	0.34	0.24-0.46	0.17
Apr-2022	1.51 (0.21)	1.51	1.09-1.97	0.14	1.51 (0.16)	1.50	1.21-1.81	0.10	1.58 (0.14)	1.59	1.32-1.89	0.09
May-2022	1.69 (0.26)	1.69	1.2-2.24	0.15	1.74 (0.24)	1.74	1.29-2.23	0.14	2.33 (0.35)	2.34	1.68-3.04	0.15
Jun-2022	2.49 (0.63)	2.50	1.46-3.81	0.25	2.15 (0.49)	2.13	1.29-3.17	0.23	1.99 (0.38)	2.01	1.33-2.83	0.19
Jul-2022	6.79 (1.11)	6.79	4.82-9.17	0.16	7.79 (1.16)	7.75	5.61-10.01	0.15	6.97 (0.82)	6.99	5.43-8.54	0.12
Aug-2022	3.02 (0.65)	3.01	1.83-4.4	0.22	3.7 (0.62)	3.72	2.48-5.02	0.17	4.91 (0.61)	4.89	3.69-6.12	0.12

Table 18. Density of guillemot (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	4.45 (0.84)	4.47	2.9-6.05	0.19	4.59 (0.61)	4.62	3.5-5.83	0.13	4.35 (0.47)	4.34	3.41-5.26	0.11
Aug-2020	1.26 (0.22)	1.26	0.87-1.71	0.17	1.5 (0.21)	1.49	1.06-1.93	0.14	1.61 (0.19)	1.61	1.25-1.97	0.12
Sep-2020	4.73 (0.62)	4.74	3.53-5.97	0.13	5.05 (0.49)	5.03	4.06-6.01	0.10	4.76 (0.39)	4.78	4.01-5.49	0.08
Oct-2020	3.92 (0.64)	3.93	2.72-5.19	0.16	4.71 (0.58)	4.73	3.69-5.88	0.12	4.45 (0.43)	4.46	3.7-5.42	0.10
Nov-2020	0.5 (0.09)	0.50	0.32-0.69	0.19	0.69 (0.11)	0.69	0.47-0.93	0.17	0.67 (0.09)	0.67	0.51-0.86	0.13
Dec-2020	0.67 (0.13)	0.67	0.44-0.94	0.19	0.96 (0.14)	0.97	0.7-1.26	0.15	1.04 (0.11)	1.04	0.83-1.26	0.11
Jan-2021	1.38 (0.23)	1.37	0.94-1.8	0.16	1.72 (0.21)	1.72	1.34-2.15	0.12	1.77 (0.19)	1.75	1.4-2.12	0.11
Feb-2021	3.26 (0.85)	3.30	1.91-5.08	0.26	2.84 (0.59)	2.80	1.87-4.13	0.21	2.77 (0.49)	2.76	1.98-3.84	0.18
Mar-2021	2.97 (0.36)	2.97	2.29-3.7	0.12	3.1 (0.31)	3.10	2.52-3.76	0.10	3.52 (0.42)	3.52	2.73-4.4	0.12
Apr-2021	7.26 (0.9)	7.30	5.57-9.19	0.12	7.7 (0.73)	7.64	6.39-9.24	0.10	8.46 (0.59)	8.44	7.3-9.57	0.07
May-2021	0.38 (0.11)	0.38	0.19-0.63	0.30	0.44 (0.14)	0.44	0.22-0.77	0.33	0.68 (0.2)	0.68	0.35-1.1	0.29
Jun-2021	1.22 (0.31)	1.21	0.66-1.89	0.26	1.12 (0.24)	1.12	0.68-1.61	0.22	1.21 (0.21)	1.22	0.87-1.66	0.17
Jul-2021	1.26 (0.23)	1.26	0.84-1.75	0.18	1.59 (0.28)	1.58	1.08-2.16	0.18	1.83 (0.23)	1.82	1.38-2.29	0.12
Aug-2021	3.44 (0.38)	3.41	2.74-4.19	0.11	3.8 (0.41)	3.80	2.98-4.63	0.11	3.95 (0.31)	3.93	3.32-4.52	0.08
Sep-2021	5.01 (0.51)	5.01	4.06-6.05	0.10	4.77 (0.41)	4.78	4.01-5.63	0.09	4.97 (0.34)	5.00	4.34-5.67	0.07
Oct-2021	3.36 (0.4)	3.34	2.61-4.12	0.12	3.63 (0.39)	3.63	2.9-4.42	0.11	3.82 (0.33)	3.82	3.21-4.48	0.09
Nov-2021	1.43 (0.23)	1.43	0.98-1.87	0.16	1.33 (0.17)	1.34	1.01-1.67	0.13	1.39 (0.14)	1.39	1.12-1.68	0.10
Dec-2021	1.66 (0.22)	1.68	1.24-2.13	0.13	1.99 (0.23)	1.99	1.57-2.43	0.12	2.09 (0.19)	2.09	1.74-2.48	0.09
Feb-2022	0.15 (0.05)	0.16	0.07-0.26	0.30	0.24 (0.05)	0.24	0.14-0.34	0.21	0.39 (0.06)	0.39	0.28-0.51	0.15
Feb-2022	0.65 (0.13)	0.65	0.41-0.92	0.19	0.73 (0.11)	0.73	0.51-0.96	0.16	0.71 (0.1)	0.71	0.53-0.92	0.14
Mar-2022	0.33 (0.11)	0.33	0.14-0.56	0.34	0.42 (0.09)	0.42	0.26-0.6	0.21	0.45 (0.08)	0.45	0.31-0.61	0.17
Apr-2022	1.94 (0.28)	1.95	1.41-2.55	0.14	1.93 (0.2)	1.93	1.55-2.32	0.10	2.02 (0.18)	2.03	1.68-2.42	0.09
May-2022	2.02 (0.31)	2.02	1.44-2.68	0.15	2.09 (0.29)	2.09	1.56-2.68	0.14	2.86 (0.43)	2.88	2.06-3.74	0.15
Jun-2022	3.22 (0.81)	3.23	1.89-4.93	0.25	2.75 (0.63)	2.74	1.65-4.07	0.23	2.54 (0.48)	2.57	1.7-3.62	0.19
Jul-2022	8.82 (1.44)	8.82	6.26-11.91	0.16	10.13 (1.51)	10.08	7.3-13.02	0.15	9.06 (1.06)	9.07	7.05-11.09	0.12
Aug-2022	3.96 (0.86)	3.95	2.4-5.77	0.22	4.85 (0.82)	4.88	3.25-6.58	0.17	6.43 (0.8)	6.41	4.84-8.01	0.12
Sep-2022	4.02 (0.69)	4.07	2.79-5.57	0.17	4.52 (0.67)	4.50	3.29-5.9	0.15	5.31 (0.72)	5.30	4-6.71	0.14

1.17 Herring Gull

Table 19. Density of herring gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0.04 (0.02)	0.04	0-0.07	0.54	0.03 (0.01)	0.03	0-0.06	0.55	0.03 (0.01)	0.03	0.01-0.05	0.49
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.96	0.01 (0.01)	0.01	0-0.03	0.64
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.93
Mar-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.92
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0.02 (0.01)	0.02	0-0.05	0.86	0.01 (0.01)	0.01	0-0.04	0.88
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0.01 (0.01)	0.01	0-0.04	0.90	0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.89
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0.02 (0.02)	0.02	0-0.06	0.65	0.02 (0.01)	0.02	0-0.04	0.64	0.01 (0.01)	0.01	0-0.03	0.64
Mar-2022	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.93	0.01 (0.01)	0.01	0-0.02	0.93
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.18 Kittiwake

Table 20. Density of kittiwake recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.28 (0.18)	0.28	0.04-0.68	0.62	0.27 (0.13)	0.28	0.07-0.57	0.50	0.26 (0.1)	0.26	0.1-0.49	0.40
Aug-2020	0.28 (0.07)	0.28	0.16-0.42	0.25	0.26 (0.05)	0.26	0.15-0.37	0.21	0.27 (0.05)	0.27	0.18-0.36	0.17
Sep-2020	0.01 (0.01)	0.01	0-0.04	0.95	0.02 (0.01)	0.02	0-0.04	0.64	0.01 (0.01)	0.01	0-0.03	0.64
Oct-2020	1.02 (0.25)	1.01	0.57-1.56	0.25	1.12 (0.21)	1.12	0.76-1.57	0.19	1.25 (0.22)	1.27	0.9-1.75	0.17
Nov-2020	0.3 (0.07)	0.29	0.15-0.44	0.24	0.26 (0.05)	0.26	0.16-0.37	0.20	0.2 (0.04)	0.20	0.13-0.29	0.21
Dec-2020	0.11 (0.05)	0.11	0.02-0.2	0.44	0.11 (0.04)	0.11	0.03-0.2	0.36	0.11 (0.03)	0.11	0.05-0.17	0.31
Jan-2021	0.07 (0.03)	0.07	0.02-0.12	0.35	0.1 (0.03)	0.10	0.05-0.16	0.27	0.1 (0.02)	0.10	0.05-0.15	0.23
Feb-2021	0.33 (0.08)	0.33	0.18-0.51	0.26	0.26 (0.06)	0.26	0.15-0.38	0.25	0.22 (0.05)	0.22	0.13-0.31	0.22
Mar-2021	1.29 (0.28)	1.28	0.77-1.85	0.22	1.33 (0.22)	1.34	0.93-1.78	0.17	1.37 (0.16)	1.38	1.06-1.69	0.12
Apr-2021	0.46 (0.09)	0.47	0.3-0.65	0.19	0.56 (0.09)	0.56	0.38-0.75	0.17	0.54 (0.08)	0.54	0.4-0.7	0.14
May-2021	0.06 (0.06)	0.06	0-0.18	0.96	0.08 (0.06)	0.08	0-0.22	0.78	0.07 (0.05)	0.07	0-0.17	0.71
Jun-2021	0.2 (0.12)	0.20	0.02-0.48	0.62	0.16 (0.09)	0.15	0.03-0.36	0.61	0.14 (0.08)	0.14	0.03-0.31	0.54
Jul-2021	0.12 (0.04)	0.12	0.05-0.19	0.30	0.11 (0.03)	0.11	0.05-0.17	0.28	0.11 (0.03)	0.11	0.07-0.17	0.23
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0.24 (0.08)	0.24	0.09-0.42	0.35	0.17 (0.06)	0.17	0.07-0.3	0.34	0.13 (0.05)	0.13	0.05-0.23	0.34
Oct-2021	0.77 (0.15)	0.77	0.48-1.08	0.20	0.67 (0.11)	0.67	0.47-0.88	0.16	0.72 (0.1)	0.72	0.52-0.92	0.14
Nov-2021	0.13 (0.04)	0.13	0.06-0.22	0.32	0.12 (0.03)	0.12	0.06-0.19	0.28	0.11 (0.03)	0.11	0.05-0.16	0.25
Dec-2021	0.05 (0.02)	0.05	0.01-0.09	0.46	0.04 (0.02)	0.04	0.02-0.08	0.38	0.05 (0.02)	0.05	0.02-0.07	0.33
Feb-2022	0.08 (0.03)	0.08	0.04-0.14	0.34	0.1 (0.03)	0.10	0.05-0.15	0.27	0.11 (0.03)	0.11	0.05-0.16	0.25
Feb-2022	0.47 (0.1)	0.47	0.28-0.68	0.21	0.44 (0.08)	0.43	0.29-0.6	0.18	0.44 (0.07)	0.44	0.31-0.58	0.16
Mar-2022	1.52 (0.33)	1.53	0.92-2.22	0.22	1.4 (0.24)	1.40	0.94-1.9	0.17	1.55 (0.21)	1.54	1.17-1.98	0.14
Apr-2022	0.14 (0.05)	0.14	0.06-0.24	0.33	0.16 (0.04)	0.16	0.08-0.23	0.25	0.17 (0.03)	0.17	0.11-0.24	0.20
May-2022	0.09 (0.04)	0.09	0.04-0.17	0.37	0.1 (0.03)	0.10	0.05-0.16	0.28	0.11 (0.03)	0.11	0.06-0.17	0.26
Jun-2022	0.12 (0.07)	0.12	0.02-0.27	0.59	0.09 (0.05)	0.09	0.01-0.21	0.60	0.07 (0.04)	0.08	0.02-0.17	0.54
Jul-2022	2.13 (0.9)	2.16	0.58-4.06	0.42	1.93 (0.68)	1.89	0.68-3.22	0.35	1.62 (0.55)	1.62	0.68-2.8	0.34
Aug-2022	0.02 (0.02)	0.02	0-0.06	0.67	0.03 (0.01)	0.03	0-0.05	0.53	0.05 (0.02)	0.05	0.01-0.09	0.47
Sep-2022	0.02 (0.02)	0.02	0-0.06	0.68	0.03 (0.01)	0.03	0-0.05	0.51	0.04 (0.01)	0.04	0.01-0.07	0.36

1.19 Large Auk sp.

Table 21. Density of large auk sp. recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0.04 (0.02)	0.04	0-0.08	0.62	0.03 (0.02)	0.03	0-0.06	0.67	0.03 (0.02)	0.03	0.01-0.07	0.47
Sep-2020	0.06 (0.02)	0.06	0.02-0.11	0.38	0.05 (0.02)	0.05	0.02-0.09	0.35	0.05 (0.02)	0.05	0.02-0.08	0.33
Oct-2020	0.07 (0.03)	0.07	0.02-0.13	0.38	0.1 (0.03)	0.10	0.04-0.17	0.32	0.08 (0.02)	0.08	0.03-0.13	0.30
Nov-2020	0.02 (0.02)	0.02	0-0.06	0.65	0.03 (0.02)	0.04	0.01-0.07	0.47	0.03 (0.01)	0.03	0.01-0.06	0.40
Dec-2020	0.04 (0.02)	0.04	0-0.08	0.66	0.07 (0.03)	0.07	0.03-0.12	0.37	0.07 (0.02)	0.07	0.03-0.11	0.31
Jan-2021	0.04 (0.02)	0.04	0-0.07	0.54	0.03 (0.02)	0.03	0.01-0.07	0.45	0.07 (0.02)	0.07	0.03-0.11	0.33
Feb-2021	0.09 (0.04)	0.10	0.02-0.18	0.41	0.08 (0.03)	0.08	0.03-0.14	0.36	0.06 (0.02)	0.06	0.02-0.11	0.36
Mar-2021	0.11 (0.04)	0.11	0.04-0.19	0.37	0.1 (0.03)	0.10	0.04-0.17	0.32	0.09 (0.03)	0.09	0.05-0.15	0.28
Apr-2021	0.15 (0.04)	0.15	0.07-0.25	0.29	0.15 (0.03)	0.15	0.09-0.22	0.23	0.14 (0.03)	0.14	0.09-0.2	0.20
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.94
Jun-2021	0.01 (0.01)	0.01	0-0.04	0.94	0.01 (0.01)	0.01	0-0.03	0.98	0.01 (0.01)	0.01	0-0.02	0.96
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0)	0.01	0-0.01	0.74
Aug-2021	0.02 (0.02)	0.02	0-0.06	0.66	0.02 (0.01)	0.02	0-0.04	0.65	0.01 (0.01)	0.01	0-0.03	0.65
Sep-2021	0.12 (0.07)	0.12	0.01-0.28	0.59	0.09 (0.05)	0.09	0.01-0.21	0.60	0.07 (0.04)	0.07	0.01-0.16	0.54
Oct-2021	0.13 (0.04)	0.13	0.06-0.2	0.29	0.12 (0.03)	0.12	0.07-0.18	0.25	0.14 (0.03)	0.14	0.09-0.19	0.19
Nov-2021	0.06 (0.02)	0.06	0.01-0.11	0.41	0.06 (0.02)	0.06	0.03-0.1	0.34	0.05 (0.02)	0.05	0.02-0.09	0.32
Dec-2021	0.13 (0.04)	0.13	0.06-0.22	0.34	0.15 (0.04)	0.15	0.07-0.23	0.30	0.13 (0.04)	0.13	0.06-0.2	0.28
Feb-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.82	0.04 (0.02)	0.04	0.01-0.08	0.44
Feb-2022	0.06 (0.03)	0.06	0.01-0.12	0.48	0.09 (0.03)	0.09	0.04-0.14	0.31	0.07 (0.02)	0.07	0.03-0.12	0.30
Mar-2022	0.07 (0.03)	0.07	0.02-0.13	0.41	0.07 (0.03)	0.07	0.03-0.12	0.37	0.08 (0.03)	0.08	0.03-0.14	0.34
Apr-2022	0.01 (0.01)	0.01	0-0.04	0.95	0.02 (0.01)	0.02	0-0.04	0.67	0.02 (0.01)	0.02	0-0.04	0.56
May-2022	0.02 (0.02)	0.02	0-0.07	0.95	0.02 (0.02)	0.02	0-0.05	0.93	0.04 (0.02)	0.04	0-0.08	0.56
Jun-2022	0.02 (0.02)	0.02	0-0.07	0.97	0.02 (0.02)	0.02	0-0.05	0.91	0.01 (0.01)	0.01	0-0.04	0.90
Jul-2022	0.07 (0.04)	0.07	0.01-0.16	0.54	0.11 (0.04)	0.11	0.04-0.19	0.35	0.12 (0.04)	0.13	0.05-0.2	0.30
Aug-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.92	0.03 (0.01)	0.03	0.01-0.05	0.44
Sep-2022	0.04 (0.03)	0.04	0-0.1	0.69	0.08 (0.04)	0.08	0.01-0.18	0.56	0.08 (0.04)	0.08	0.03-0.16	0.44

1.20 Lesser Black-backed Gull

Table 22. Density of lesser black-backed gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.03	0.68
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.21 Little Auk

Table 23. Density of little auk recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0.01 (0.01)	0.01	0-0.04	0.98	0.01 (0.01)	0.01	0-0.03	0.92	0.01 (0.01)	0.01	0-0.02	0.90
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.03 (0.01)	0.03	0-0.05	0.53	0.03 (0.01)	0.03	0.01-0.06	0.41
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.91	0.01 (0.01)	0.01	0-0.03	0.64
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.22 Little Gull

Table 24. Density of little gull recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0.01 (0.01)	0.01	0-0.04	0.92	0.01 (0.01)	0.01	0-0.03	0.97	0.01 (0.01)	0.01	0-0.02	0.93
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.23 Manx Shearwater

Table 25. Density of Manx shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.92
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0.01 (0.01)	0.01	0-0.04	0.96	0.02 (0.01)	0.02	0-0.04	0.66	0.01 (0.01)	0.01	0-0.03	0.65
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.82
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.94
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.91	0.02 (0.01)	0.02	0-0.04	0.52
Aug-2022	0.01 (0.01)	0.01	0-0.04	0.79	0.01 (0.01)	0.01	0-0.03	0.81	0.01 (0.01)	0.01	0-0.03	0.60
Sep-2022	0.01 (0.01)	0.01	0-0.04	0.93	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.03	0.64

1.24 Puffin

Table 26. Density of puffin recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	1.1 (0.16)	1.10	0.81-1.44	0.14	1.41 (0.19)	1.40	1.06-1.79	0.13	2.23 (0.6)	2.22	1.33-3.58	0.27
Aug-2020	1.13 (0.19)	1.12	0.78-1.5	0.17	1.43 (0.22)	1.43	1.04-1.85	0.15	1.95 (0.3)	1.94	1.38-2.57	0.16
Sep-2020	0.17 (0.05)	0.16	0.08-0.27	0.29	0.16 (0.04)	0.16	0.09-0.23	0.24	0.17 (0.03)	0.17	0.11-0.24	0.19
Oct-2020	0.12 (0.04)	0.12	0.06-0.2	0.32	0.11 (0.03)	0.11	0.06-0.17	0.26	0.11 (0.02)	0.11	0.06-0.16	0.23
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.96
Feb-2021	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.89	0.01 (0.01)	0.01	0-0.02	0.88
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	1.28 (0.21)	1.29	0.92-1.69	0.16	1.21 (0.15)	1.20	0.91-1.51	0.12	1.17 (0.12)	1.16	0.93-1.4	0.10
May-2021	0.15 (0.05)	0.16	0.07-0.27	0.35	0.23 (0.05)	0.22	0.13-0.34	0.24	0.35 (0.08)	0.35	0.21-0.51	0.23
Jun-2021	5.24 (0.81)	5.23	3.77-6.89	0.15	4.79 (0.61)	4.83	3.71-6.11	0.13	4.78 (0.55)	4.80	3.77-5.9	0.12
Jul-2021	1.8 (0.27)	1.80	1.31-2.37	0.15	2.1 (0.25)	2.09	1.65-2.59	0.12	2.33 (0.24)	2.33	1.88-2.79	0.10
Aug-2021	1.69 (0.24)	1.66	1.22-2.15	0.14	1.84 (0.2)	1.83	1.43-2.22	0.11	1.98 (0.19)	1.97	1.62-2.38	0.10
Sep-2021	2.75 (0.4)	2.76	2.01-3.58	0.15	2.55 (0.29)	2.56	2.03-3.16	0.11	2.39 (0.22)	2.40	1.99-2.87	0.09
Oct-2021	0.24 (0.06)	0.24	0.13-0.34	0.24	0.21 (0.04)	0.21	0.13-0.3	0.22	0.18 (0.04)	0.18	0.12-0.25	0.20
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0.01 (0.01)	0.01	0-0.04	0.94	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.03	0.60
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	1.47 (0.2)	1.47	1.11-1.89	0.14	1.36 (0.15)	1.36	1.06-1.67	0.11	1.17 (0.12)	1.17	0.95-1.4	0.10
May-2022	3.89 (0.69)	3.87	2.69-5.36	0.18	4.5 (0.6)	4.50	3.36-5.7	0.13	5.11 (0.51)	5.13	4.23-6.15	0.10
Jun-2022	5.75 (1.28)	5.74	3.48-8.49	0.22	5.33 (0.93)	5.33	3.69-7.32	0.17	5.28 (0.74)	5.26	3.99-6.84	0.14
Jul-2022	4.34 (0.62)	4.28	3.07-5.52	0.14	4.71 (0.6)	4.73	3.63-5.98	0.13	4.83 (0.59)	4.82	3.68-6.03	0.12
Aug-2022	2.72 (0.58)	2.70	1.65-3.97	0.21	4.22 (0.83)	4.21	2.7-5.85	0.20	4.59 (0.75)	4.55	3.19-6.1	0.16
Sep-2022	0.7 (0.13)	0.69	0.45-0.93	0.18	0.59 (0.11)	0.59	0.4-0.8	0.18	0.59 (0.08)	0.59	0.44-0.77	0.14

Table 27. Density of puffin (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	1.2 (0.17)	1.19	0.88-1.57	0.14	1.54 (0.21)	1.53	1.16-1.97	0.13	2.43 (0.65)	2.42	1.45-3.91	0.27
Aug-2020	1.16 (0.2)	1.15	0.8-1.55	0.17	1.5 (0.23)	1.50	1.09-1.93	0.15	2.04 (0.32)	2.03	1.45-2.68	0.16
Sep-2020	0.17 (0.05)	0.16	0.08-0.27	0.29	0.16 (0.04)	0.16	0.09-0.23	0.24	0.17 (0.03)	0.17	0.11-0.24	0.19
Oct-2020	0.12 (0.04)	0.12	0.06-0.2	0.32	0.11 (0.03)	0.11	0.06-0.17	0.26	0.11 (0.02)	0.11	0.06-0.16	0.23
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.96
Feb-2021	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.89	0.01 (0.01)	0.01	0-0.02	0.88
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	1.34 (0.22)	1.35	0.96-1.77	0.16	1.27 (0.16)	1.25	0.95-1.57	0.12	1.22 (0.12)	1.21	0.97-1.47	0.10
May-2021	0.15 (0.05)	0.16	0.07-0.27	0.35	0.23 (0.05)	0.22	0.13-0.34	0.24	0.36 (0.08)	0.35	0.21-0.52	0.23
Jun-2021	5.26 (0.81)	5.25	3.78-6.9	0.15	4.79 (0.61)	4.84	3.72-6.12	0.13	4.79 (0.55)	4.81	3.78-5.91	0.12
Jul-2021	1.81 (0.27)	1.81	1.32-2.39	0.15	2.13 (0.25)	2.12	1.67-2.63	0.12	2.36 (0.24)	2.36	1.9-2.82	0.10
Aug-2021	1.78 (0.25)	1.75	1.28-2.27	0.14	1.94 (0.21)	1.93	1.51-2.34	0.11	2.07 (0.2)	2.07	1.7-2.49	0.10
Sep-2021	2.82 (0.41)	2.83	2.06-3.67	0.15	2.62 (0.3)	2.63	2.08-3.25	0.11	2.46 (0.23)	2.47	2.04-2.95	0.09
Oct-2021	0.24 (0.06)	0.24	0.13-0.34	0.24	0.22 (0.05)	0.22	0.14-0.31	0.22	0.19 (0.04)	0.19	0.13-0.26	0.20
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0.01 (0.01)	0.01	0-0.04	0.94	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.03	0.60
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	1.52 (0.21)	1.52	1.14-1.95	0.14	1.39 (0.16)	1.40	1.09-1.71	0.11	1.2 (0.12)	1.20	0.97-1.44	0.10
May-2022	3.94 (0.7)	3.92	2.72-5.42	0.18	4.58 (0.61)	4.58	3.42-5.8	0.13	5.21 (0.52)	5.23	4.31-6.27	0.10
Jun-2022	5.82 (1.3)	5.81	3.52-8.6	0.22	5.4 (0.94)	5.41	3.74-7.42	0.17	5.38 (0.76)	5.36	4.06-6.97	0.14
Jul-2022	4.5 (0.64)	4.43	3.18-5.72	0.14	4.84 (0.62)	4.86	3.73-6.15	0.13	4.99 (0.61)	4.98	3.8-6.22	0.12
Aug-2022	2.75 (0.59)	2.72	1.67-4.01	0.21	4.25 (0.83)	4.23	2.71-5.88	0.20	4.61 (0.75)	4.57	3.2-6.12	0.16
Sep-2022	0.73 (0.13)	0.72	0.47-0.98	0.18	0.62 (0.11)	0.61	0.42-0.83	0.18	0.61 (0.09)	0.61	0.45-0.8	0.14

Table 28. Density of puffin (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	1.39 (0.2)	1.39	1.02-1.83	0.14	1.79 (0.24)	1.78	1.35-2.29	0.13	2.84 (0.76)	2.83	1.69-4.55	0.27
Aug-2020	1.36 (0.23)	1.35	0.93-1.81	0.17	1.73 (0.26)	1.73	1.25-2.23	0.15	2.35 (0.37)	2.33	1.67-3.09	0.16
Sep-2020	0.19 (0.05)	0.19	0.09-0.31	0.29	0.18 (0.04)	0.18	0.1-0.27	0.24	0.2 (0.04)	0.20	0.13-0.28	0.19
Oct-2020	0.14 (0.04)	0.14	0.07-0.24	0.32	0.13 (0.03)	0.13	0.07-0.2	0.26	0.13 (0.03)	0.13	0.07-0.19	0.23
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.96
Feb-2021	0.01 (0.01)	0.01	0-0.04	0.91	0.01 (0.01)	0.01	0-0.03	0.89	0.01 (0.01)	0.01	0-0.02	0.88
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	1.55 (0.25)	1.56	1.12-2.05	0.16	1.47 (0.18)	1.45	1.11-1.83	0.12	1.42 (0.14)	1.41	1.14-1.71	0.10
May-2021	0.18 (0.06)	0.18	0.08-0.31	0.35	0.26 (0.06)	0.26	0.15-0.39	0.24	0.42 (0.09)	0.41	0.25-0.61	0.23
Jun-2021	6.06 (0.93)	6.05	4.35-7.96	0.15	5.51 (0.7)	5.56	4.27-7.04	0.13	5.5 (0.64)	5.53	4.34-6.79	0.12
Jul-2021	2.08 (0.31)	2.09	1.52-2.75	0.15	2.46 (0.29)	2.45	1.93-3.04	0.12	2.71 (0.28)	2.71	2.19-3.24	0.10
Aug-2021	2.08 (0.3)	2.05	1.5-2.64	0.14	2.26 (0.24)	2.25	1.76-2.73	0.11	2.42 (0.24)	2.41	1.98-2.9	0.10
Sep-2021	3.28 (0.48)	3.29	2.39-4.27	0.15	3.05 (0.35)	3.06	2.43-3.79	0.11	2.86 (0.27)	2.87	2.38-3.43	0.09
Oct-2021	0.27 (0.07)	0.27	0.15-0.39	0.24	0.25 (0.05)	0.25	0.16-0.36	0.22	0.21 (0.04)	0.21	0.14-0.3	0.20
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0.01 (0.01)	0.01	0-0.04	0.94	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.03	0.60
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	1.7 (0.23)	1.70	1.28-2.17	0.14	1.56 (0.18)	1.56	1.22-1.91	0.11	1.34 (0.13)	1.35	1.09-1.61	0.10
May-2022	4.52 (0.8)	4.49	3.12-6.22	0.18	5.24 (0.7)	5.25	3.92-6.65	0.13	5.96 (0.6)	5.98	4.93-7.17	0.10
Jun-2022	6.77 (1.51)	6.76	4.1-10.01	0.22	6.28 (1.09)	6.29	4.35-8.63	0.17	6.24 (0.88)	6.22	4.72-8.09	0.14
Jul-2022	5.22 (0.75)	5.15	3.69-6.65	0.14	5.61 (0.71)	5.63	4.32-7.13	0.13	5.77 (0.71)	5.75	4.39-7.19	0.12
Aug-2022	3.19 (0.68)	3.16	1.93-4.65	0.21	4.95 (0.97)	4.93	3.16-6.85	0.20	5.37 (0.88)	5.31	3.73-7.13	0.16
Sep-2022	0.86 (0.16)	0.84	0.55-1.14	0.18	0.72 (0.13)	0.71	0.48-0.96	0.18	0.7 (0.1)	0.71	0.52-0.92	0.14

1.25 Razorbill

Table 29. Density of razorbill recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.02 (0.02)	0.02	0-0.07	0.93	0.02 (0.02)	0.02	0-0.05	0.89	0.01 (0.01)	0.01	0-0.04	0.90
Aug-2020	0.02 (0.02)	0.02	0-0.07	0.86	0.02 (0.02)	0.02	0-0.05	0.90	0.01 (0.01)	0.01	0-0.04	0.88
Sep-2020	0.09 (0.04)	0.09	0.02-0.19	0.47	0.09 (0.03)	0.09	0.03-0.16	0.38	0.08 (0.03)	0.08	0.03-0.14	0.35
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.04	0.92
Nov-2020	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0.08 (0.04)	0.08	0.01-0.17	0.48	0.09 (0.03)	0.09	0.03-0.16	0.38	0.07 (0.02)	0.07	0.02-0.12	0.37
Mar-2021	0.01 (0.01)	0.01	0-0.04	0.99	0.03 (0.01)	0.03	0-0.05	0.51	0.06 (0.02)	0.06	0.01-0.11	0.41
Apr-2021	0.08 (0.03)	0.08	0.04-0.14	0.33	0.12 (0.03)	0.12	0.06-0.19	0.28	0.14 (0.03)	0.14	0.08-0.2	0.22
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.02 (0.01)	0.02	0-0.04	0.56
Jun-2021	0.06 (0.02)	0.06	0.02-0.11	0.40	0.04 (0.02)	0.04	0.01-0.08	0.40	0.08 (0.03)	0.08	0.03-0.15	0.39
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.14 (0.07)	0.14	0.04-0.28	0.47	0.11 (0.05)	0.11	0.03-0.21	0.41	0.11 (0.04)	0.11	0.04-0.19	0.36
Sep-2021	0.08 (0.05)	0.08	0-0.2	0.66	0.06 (0.04)	0.06	0-0.15	0.66	0.07 (0.03)	0.07	0.01-0.13	0.51
Oct-2021	0.02 (0.01)	0.02	0-0.06	0.62	0.03 (0.01)	0.03	0-0.05	0.53	0.02 (0.01)	0.02	0-0.04	0.54
Nov-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.94
Dec-2021	0.02 (0.01)	0.02	0-0.06	0.63	0.03 (0.01)	0.03	0-0.05	0.55	0.02 (0.01)	0.02	0-0.04	0.54
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0.06 (0.03)	0.06	0-0.13	0.56	0.04 (0.02)	0.04	0-0.1	0.57	0.03 (0.02)	0.03	0-0.08	0.58
Mar-2022	0.11 (0.05)	0.11	0.04-0.2	0.42	0.13 (0.05)	0.13	0.04-0.23	0.37	0.12 (0.04)	0.12	0.05-0.2	0.32
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0.01 (0.01)	0.01	0-0.04	0.84	0.01 (0.01)	0.01	0-0.03	0.83	0.01 (0.01)	0.01	0-0.02	0.81
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0.12 (0.07)	0.12	0.01-0.28	0.60	0.13 (0.06)	0.13	0.03-0.27	0.47	0.16 (0.06)	0.16	0.06-0.27	0.35
Aug-2022	0.01 (0.01)	0.01	0-0.04	0.87	0.04 (0.02)	0.05	0-0.1	0.57	0.03 (0.02)	0.03	0-0.07	0.56
Sep-2022	0.12 (0.05)	0.12	0.04-0.22	0.38	0.24 (0.11)	0.24	0.05-0.47	0.45	0.3 (0.11)	0.30	0.1-0.54	0.38

Table 30. Density of razorbill (including unidentified auks apportioned using identified auk ratios) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.02 (0.02)	0.02	0-0.07	0.93	0.02 (0.02)	0.02	0-0.05	0.89	0.01 (0.01)	0.01	0-0.04	0.90
Aug-2020	0.02 (0.02)	0.02	0-0.07	0.86	0.02 (0.02)	0.02	0-0.05	0.90	0.01 (0.01)	0.01	0-0.04	0.88
Sep-2020	0.09 (0.04)	0.09	0.02-0.19	0.47	0.09 (0.03)	0.09	0.03-0.16	0.38	0.08 (0.03)	0.08	0.03-0.14	0.35
Oct-2020	0 (0)	0.00	0-0	0 (0)	0.00	0-0			0.01 (0.01)	0.01	0-0.04	0.92
Nov-2020	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0.08 (0.04)	0.08	0.01-0.17	0.48	0.09 (0.03)	0.09	0.03-0.16	0.38	0.07 (0.02)	0.07	0.02-0.12	0.37
Mar-2021	0.01 (0.01)	0.01	0-0.04	0.99	0.03 (0.01)	0.03	0-0.05	0.51	0.06 (0.02)	0.06	0.01-0.11	0.41
Apr-2021	0.08 (0.03)	0.08	0.04-0.14	0.33	0.13 (0.04)	0.13	0.07-0.2	0.28	0.15 (0.03)	0.15	0.08-0.21	0.22
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.02 (0.01)	0.02	0-0.04	0.56
Jun-2021	0.06 (0.02)	0.06	0.02-0.11	0.40	0.04 (0.02)	0.04	0.01-0.08	0.40	0.08 (0.03)	0.08	0.03-0.15	0.39
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.15 (0.07)	0.15	0.04-0.31	0.47	0.12 (0.05)	0.12	0.04-0.22	0.41	0.11 (0.04)	0.12	0.04-0.2	0.36
Sep-2021	0.08 (0.05)	0.08	0-0.2	0.66	0.06 (0.04)	0.06	0-0.15	0.66	0.07 (0.03)	0.07	0.01-0.13	0.51
Oct-2021	0.02 (0.01)	0.02	0-0.06	0.62	0.03 (0.01)	0.03	0-0.05	0.53	0.02 (0.01)	0.02	0-0.04	0.54
Nov-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.94
Dec-2021	0.02 (0.01)	0.02	0-0.06	0.63	0.03 (0.01)	0.03	0-0.05	0.55	0.02 (0.01)	0.02	0-0.04	0.54
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0.07 (0.04)	0.07	0-0.16	0.56	0.05 (0.03)	0.05	0-0.11	0.57	0.04 (0.02)	0.04	0-0.1	0.58
Mar-2022	0.13 (0.06)	0.13	0.04-0.25	0.42	0.16 (0.06)	0.15	0.05-0.27	0.37	0.15 (0.05)	0.15	0.07-0.25	0.32
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0.01 (0.01)	0.01	0-0.04	0.84	0.01 (0.01)	0.01	0-0.03	0.83	0.01 (0.01)	0.01	0-0.02	0.81
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0.12 (0.07)	0.12	0.01-0.28	0.60	0.13 (0.06)	0.13	0.03-0.27	0.47	0.16 (0.06)	0.16	0.06-0.29	0.35
Aug-2022	0.01 (0.01)	0.01	0-0.04	0.87	0.04 (0.02)	0.05	0-0.1	0.57	0.03 (0.02)	0.03	0-0.07	0.56
Sep-2022	0.12 (0.05)	0.12	0.04-0.22	0.38	0.26 (0.12)	0.25	0.06-0.5	0.45	0.31 (0.12)	0.32	0.11-0.56	0.38

Table 31. Density of razorbill (including unidentified auks apportioned using identified auk ratios and accounting for availability bias) recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0.02 (0.02)	0.02	0-0.07	0.93	0.02 (0.02)	0.02	0-0.05	0.89	0.01 (0.01)	0.01	0-0.04	0.90
Aug-2020	0.02 (0.02)	0.02	0-0.07	0.86	0.02 (0.02)	0.02	0-0.05	0.90	0.01 (0.01)	0.01	0-0.04	0.88
Sep-2020	0.12 (0.06)	0.12	0.03-0.24	0.47	0.1 (0.04)	0.10	0.04-0.19	0.38	0.1 (0.03)	0.10	0.04-0.18	0.35
Oct-2020	0 (0)	0.00	0-0	0 (0)	0.00	0-0			0.01 (0.01)	0.01	0-0.04	0.92
Nov-2020	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.90	0.01 (0.01)	0.01	0-0.02	0.93
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0.09 (0.05)	0.09	0.01-0.19	0.48	0.1 (0.04)	0.11	0.04-0.19	0.38	0.08 (0.03)	0.08	0.02-0.14	0.37
Mar-2021	0.01 (0.01)	0.01	0-0.04	0.99	0.03 (0.01)	0.03	0-0.05	0.51	0.07 (0.03)	0.07	0.02-0.14	0.41
Apr-2021	0.09 (0.03)	0.09	0.04-0.16	0.33	0.16 (0.04)	0.16	0.08-0.25	0.28	0.17 (0.04)	0.17	0.1-0.25	0.22
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.03 (0.02)	0.03	0-0.05	0.56
Jun-2021	0.07 (0.03)	0.07	0.03-0.13	0.40	0.05 (0.02)	0.05	0.01-0.09	0.40	0.09 (0.04)	0.10	0.03-0.17	0.39
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.19 (0.09)	0.19	0.05-0.38	0.47	0.15 (0.06)	0.15	0.05-0.27	0.41	0.13 (0.05)	0.14	0.05-0.23	0.36
Sep-2021	0.09 (0.06)	0.09	0-0.23	0.66	0.07 (0.05)	0.07	0-0.17	0.66	0.08 (0.04)	0.08	0.01-0.16	0.51
Oct-2021	0.02 (0.01)	0.02	0-0.06	0.62	0.03 (0.01)	0.03	0-0.05	0.53	0.02 (0.01)	0.02	0-0.04	0.54
Nov-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.01 (0.01)	0.01	0-0.03	0.94	0.01 (0.01)	0.01	0-0.02	0.94
Dec-2021	0.02 (0.01)	0.02	0-0.06	0.63	0.03 (0.02)	0.03	0-0.07	0.55	0.03 (0.01)	0.03	0-0.05	0.54
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0.08 (0.05)	0.08	0-0.18	0.56	0.06 (0.03)	0.06	0-0.13	0.57	0.05 (0.03)	0.05	0-0.11	0.58
Mar-2022	0.15 (0.07)	0.15	0.05-0.29	0.42	0.19 (0.07)	0.19	0.06-0.33	0.37	0.17 (0.06)	0.17	0.08-0.29	0.32
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0.01 (0.01)	0.01	0-0.04	0.84	0.01 (0.01)	0.01	0-0.03	0.83	0.01 (0.01)	0.01	0-0.02	0.81
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0.15 (0.09)	0.15	0.01-0.33	0.60	0.16 (0.07)	0.16	0.03-0.32	0.47	0.2 (0.07)	0.20	0.08-0.35	0.35
Aug-2022	0.01 (0.01)	0.01	0-0.04	0.87	0.05 (0.03)	0.05	0-0.12	0.57	0.04 (0.02)	0.04	0-0.09	0.56
Sep-2022	0.14 (0.06)	0.14	0.04-0.26	0.38	0.31 (0.14)	0.31	0.07-0.61	0.45	0.38 (0.14)	0.39	0.13-0.69	0.38

1.26 Red-throated Diver

Table 32. Density of red-throated diver recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0.01 (0.01)	0.01	0-0.04	0.97	0.01 (0.01)	0.01	0-0.03	0.93	0.01 (0.01)	0.01	0-0.02	0.96
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.84	0.01 (0.01)	0.01	0-0.02	0.90
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.80	0.01 (0.01)	0.01	0-0.02	0.83
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.27 Shag

Table 33. Density of shag recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0.01 (0.01)	0.01	0-0.04	0.92	0.02 (0.01)	0.02	0-0.04	0.67	0.02 (0.01)	0.02	0-0.05	0.55
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.02	0.96
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	

1.28 Sooty Shearwater

Table 34. Density of sooty shearwater recorded in flight and on the sea in each survey, S.D., mean of bootstraps, coefficient of variation (CV) and 95% confidence intervals, in the OAA, OAA plus 2 km buffer and OAA plus 4 km buffer.

Survey	Density (birds/km ²)											
	OAA				OAA plus 2 km buffer				OAA plus 4 km buffer			
	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV	Estimate (S.D.)	Mean (bs)	95% c.i.	CV
Jul-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Oct-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2020	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jan-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2021	0.01 (0.01)	0.01	0-0.04	0.89	0.02 (0.01)	0.02	0-0.04	0.64	0.01 (0.01)	0.01	0-0.03	0.70
Sep-2021	0 (0)	0.00	0-0		0.01 (0.01)	0.01	0-0.03	0.87	0.01 (0.01)	0.01	0-0.02	0.88
Oct-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Nov-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Dec-2021	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Feb-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Mar-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Apr-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
May-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jun-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Jul-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Aug-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	
Sep-2022	0 (0)	0.00	0-0		0 (0)	0.00	0-0		0 (0)	0.00	0-0	